

Bulletin number: SN-2011-05-25

Issue: 1.0

Date: May 2011



Patton Electronics Company, Inc.

7622 Rickenbacker Drive

Gaithersburg, MD 20879 USA

Tel. +1 (301) 975-1000

Fax +1 (301) 869-9293

support@patton.com

<http://www.patton.com>

# End of life notice

---

*SmartNode S-DTA, SN4552, SN4554, SN4562*

## **Introduction**

This End of Life (EOL) notice involves the Manufacture Discontinue (MD) and EOL of the SmartNode models S-DTA, SN4552, SN4554, SN4562 and derivative models. These products are being discontinued due to the unavailability of component parts and the introduction of next generation products with an enhanced feature set and a better price/performance ratio.

## Milestones

<b>Milestone</b>	<b>Definition</b>	<b>Date</b>
<b>End-of-Life Announcement date</b>	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	May 30, 2011
<b>End-of-sale date</b>	The last date to order the product from Patton Electronics. The product is no longer for sale after this date.	June 30, 2011
<b>Last shipment date</b>	The last-possible ship date that can be requested of Patton Electronics. Actual ship date is dependent on lead-time.	August 30, 2011
<b>Last date of support</b>	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	Continues to be supported within the standard SmartWare release cycles. Refer to the corresponding release notes for details on supported models.

The availability of software maintenance releases is governed by the SmartWare [Software Release Concept](#).

## Affected models

Model	Description	Replacement product
<b>S-DTA</b>	ISDN VoIP adapter, 1x BRI/So NT with phantom power, 2 voice/fax calls, 1x 10/100 Ethernet, external UI power (100–240 VAC)	SN-DTA/1BIS2V/EUI
<b>SN4554</b>	ISDN BRI PSTN VoIP Gateway, 2 BRI/So TE ports, 4 voice/fax calls, 1x 10/100 Ethernet, external UI power (100–240 VAC)	SN4120/2BIS4V/EUI
<b>SN4552</b>	SmartNode 2 BRI VoIP GW-Router, 1x10/100baseTX WAN, integrated 4-port 10/100bTX LAN switch, 2 voice channels, H.323 or SIP, External UI Power.	<ul style="list-style-type: none"> <li>• SN4120/1BIS2V/EUI (1xBRI TE <b>gateway</b>)</li> <li>• SN4120/2BIS4V/EUI (1xBRI TE <b>gateway</b> with BRI TE fallback port)</li> <li>• SN4634 (<b>router</b>)</li> <li>• SN4660 (<b>router with switch</b>) available Q3 2011</li> </ul>
<b>SN4562</b>	SmartNode 2 BRI Voice over VPN Router, 10/100baseTX WAN, integrated 4-port 10/100bTX LAN switch, Includes VPN license key. Specify SIP or H.323, External UI Power.	<ul style="list-style-type: none"> <li>• SN4634 + VPN license (<b>router</b>)</li> <li>• SN4660 + VPN license (<b>router with switch</b>) available Q3 2011</li> </ul>